

给排水塑料管及塑料管件采购清单

序号	类别	标准或图号	美标规格	公称直径
1	Plastic Pipe	DIN 8077	Plain End, $\Phi 110 \times 10$	100mm
2	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 315 \times 28.6$	300mm
3	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 63 \times 5.8$	50mm
4	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 90 \times 8.2$	80mm
5	Plastic Pipe	DIN 8077	Plain End, $\Phi 90 \times 8.2$	80mm
6	45-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 630 \times 57.2$	600mm
7	45-Deg Elbow (LR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 225 \times 20.5$	200mm
8	45-Deg Elbow (LR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 315 \times 28.6$	300mm
9	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 630 \times 57.2$	600mm
10	Eccentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10.0 - \Phi 63 \times 5.8$	100mm
11	Eccentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 315 \times 28.6 - \Phi 225 \times 20.5$	300mm
12	Lapped Joint Flange	ISO 4427-3	DN100-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 110 \times 10$	DN100
13	Lapped Joint Flange	ISO 4427-3	DN200-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 225 \times 20.5$	DN200
14	Red. Tee异径三通	ISO 4427-3	Butt Weld, e=28.6mm, $\Phi 225 \times 20.5 - \Phi 110 \times 10.0$	200mm
15	Red. Tee异径三通	ISO 4427-3	Butt Weld, e=28.6mm, $\Phi 315 \times 28.6 - \Phi 110 \times 10.0$	300mm
16	Red. Tee异径三通	ISO 4427-3	Butt Weld, e=28.6mm, $\Phi 315 \times 28.6 - \Phi 225 \times 20.5$	300mm
17	Red. Tee异径三通	ISO 4427-3	Butt Weld, e=28.6mm, $\Phi 630 \times 57.2 - \Phi 315 \times 28.6$	300mm
18	Straight Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 225 \times 20.5$	200mm
19	SW 90-Deg Elbow	DIN 16962	Electrofusion Socket, SDR11, $\Phi 63 \times 5.8$	50mm
20	90-Deg Elbow	Refer to ASTM D2467	Socket End, Sch. 120, $\Phi 33.4 \times 5.08$	25mm
21	Concentric Reducer	Refer to ASTM D2467	Socket End, Sch. 120, $\Phi 60.32 \times 6.35 - \Phi 33.4 \times 5.08$	50mm
22	Red. Tee	Refer to ASTM D2467	Socket End, Sch. 120, $\Phi 60.32 \times 6.35 - \Phi 33.4 \times 5.08$	50mm
23	高密度聚乙烯管 High density polyethylene pipe	ISO 4427-2	Plain End, $\Phi 90 \times 8.2$, PNL OMPa, PE100	90
24	高密度聚乙烯管 High density polyethylene pipe	ISO 4427-2	Plain End, $\Phi 315 \times 28.6$, Ring stiffness SN12.5, PE100	300
25	高密度聚乙烯管 High density polyethylene pipe	ISO 4427-2	Plain End, $\Phi 63 \times 5.8$, Ring stiffness SN12.5, PE100	60
26	高密度聚乙烯管 High density polyethylene pipe	ISO 4427-2	Plain End, $\Phi 225 \times 20.5$, Ring stiffness SN12.5, PE100	200
27	高密度聚乙烯异径管 High density polyethylene reducer	02S403-53	DN80x50, PE100	80
28	高密度聚乙烯盲板法兰 High density polyethylene flange	ASME B16.5	DN50, PE100	
29	高密度聚乙烯法兰 High density polyethylene flange	ASME B16.5	DN80, PE100	
30	高密度聚乙烯管 High density polyethylene pipe	ISO 4427-2	Plain End, $\Phi 160 \times 14.6$, Ring stiffness SN12.5, PE100	150
31	高密度聚乙烯管 High density polyethylene pipe	ISO 4427-2	Plain End, $\Phi 110 \times 10$, Ring stiffness SN12.5, PE100	100
32	高密度聚乙烯吸水喇叭口 High density polyethylene suction bell mouth	参02S403,112	DN50, PE100	50
33	高密度聚乙烯吸水喇叭口支架 High density polyethylene suction bell mouth bracket		DN50, PE100	50
34	高密度聚乙烯三通 High density polyethylene tee	02S403-36	DN80x50, PE100	80
35	UPVC塑料排水管 UPVC plastic drain pipe	ASTM D1785 PVC1120	Plain End, $\Phi 60.32 \times 6.35$	50

36	UPVC塑料排水管 UPVC plastic drain pipe	ASTM D1785 PVC1120	Plain End, $\phi 114.3 \times 4.90$	100
37	UPVC塑料排水管 UPVC plastic drain pipe	ASTM D1785 PVC1120	Plain End, $\phi 168.28 \times 6.02$	150
38	UPVC塑料排水管 UPVC plastic drain pipe	ISO 4427-2	Plain End, $\phi 63 \times 5.8$, Ring stiffness SN12.5	50
39	UPVC塑料排水管 UPVC plastic drain pipe	ISO 4427-2	Plain End, $\phi 219 \times 10$, Ring stiffness SN12.5	200
40	UPVC塑料排水管 UPVC plastic drain pipe	ISO 4427-2	Plain End, $\phi 110 \times 10$, Ring stiffness SN12.5	100
41	UPVC塑料排水管 UPVC plastic drain pipe	ISO 4427-2	Plain End, $\phi 160 \times 10$, Ring stiffness SN12.5	150
42	90° 弯头 90-Deg Elbow	ISO 4427-2	BUTT Fusion, SDR11 $\phi 63 \times 5.8$	50
43	塑料管 Plastic Pipe	ISO 4427-2	Plain End, $\phi 63 \times 5.8$	50
44	塑料管(带螺纹) Plastic Pipe, NPT(F)	ISO 4427-2	$\phi 32 \times 3$ L=150	
45	带法兰短管 Short Pipe With Flange	Refer to ASME B16.5	Flange: DN50, FF, Class150 Pipe: $\phi 32 \times 3$ L=100	
46	带法兰短管 Short Pipe With Flange	Refer to ASME B16.5	Flange: DN50, FF, Class150 Pipe: $\phi 33.4 \times 4.75$ L=100	
47	法兰 Flange	Refer to ASME B16.5	DN50/DN25 FF Class150 t=20	
48	法兰 Flange	Refer to ASME B16.5	DN50/DN25 FF Class150 t=20	
49	塑料管 Plastic Pipe	ASTM D1784 PVC1120	$\phi 33.4 \times 4.55$	
50	塑料管 Plastic Pipe		D20x3	
51	塑料管 Plastic Pipe	GB/T5836	DN40	
52	塑料管 Plastic Pipe	GB/T5836	DN40	
53	塑料管 Plastic Pipe	GB/T5836	DN50	
54	塑料管 Plastic Pipe	GB/T5836	DN100	
55	塑料管 Plastic Pipe	GB/T5836	$\phi 150$	
56	Lapped Joint Flange	ISO 4427-3	DN200-Class 150, WN/LJ- FF, Connecting Pipe $\phi 225 \times 20.5$	200 mm
57	Lapped Joint Flange	ISO 4427-3	DN40-Class 150, WN/LJ-FF, Connecting Pipe $\phi 50 \times 4.6$	40 mm
58	Plastic Pipe	ISO 4427-2	Plain End, $\phi 225 \times 20.5$	200 mm
59	Plastic Pipe	ISO 4427-2	Plain End, $\phi 63 \times 5.8$	50 mm
60	Plastic Pipe	ISO 4427-2	Plain End, $\phi 315 \times 28.6$	300 mm
61	Lapped Joint Flange	ISO 4427-3	DN300-Class 150, WN/LJ- FF, Connecting Pipe $\phi 315 \times 28.6$	300 mm
62	Lapped Joint Flange	ISO 4427-3	DN200-Class 150, WN/LJ- FF, Connecting Pipe $\phi 225 \times 20.5$	200 mm
63	Lapped Joint Flange	ISO 4427-3	DN300-Class 150, WN/LJ- FF, Connecting Pipe $\phi 315 \times 28.6$	300 mm
64	Plastic Pipe	ASTM D1785 PVC1120	Plain End, $\phi 33.4 \times 5.08$	25 mm
65	塑料管 plastic pipe	ASTM D1784 PVC1120	DN40	DN40
66	塑料管 plastic pipe	ASTM D1784 PVC1120	DN32	DN32
67	塑料管 plastic pipe	ASTM D1784 PVC1120	DN25	DN25
68	塑料管 plastic pipe	ASTM D1784 PVC1120	DN20*3	DN20
69	塑料管 plastic pipe	ASTM D1784 PVC1120	DN20	DN20
70	塑料管 plastic pipe	ASTM D1784 PVC1120	DN50	DN50
71	塑料管 plastic pipe	ASTM D1784 PVC1120	$\phi 33.4 \times 4.55$	
72	90-Deg Elbow	Refer to ASTM D2467	Socket End, Sch. 120, $\phi 33.4 \times 5.08$	25 mm

73	Plastic Pipe	ASTM D1785 PVC1120	Plain End, $\Phi 33.4 \times 5.08$	25 mm
74	Socket Flange	Refer to ASTM D2467	DN25-Class 150, SW-FF, Connecting Pipe $\Phi 33.4 \times 5.08$	25 mm
75	45-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 400 \times 36.3$	400 mm
76	45-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 500 \times 45.4$	500 mm
77	45-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 900 \times 81.7$	900 mm
78	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10$	100 mm
79	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 280 \times 25.4$	250 mm
80	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 500 \times 45.4$	500 mm
81	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 630 \times 57.2$	600 mm
82	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 710 \times 64.5$	700 mm
83	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 800 \times 72.6$	800 mm
84	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 900 \times 81.7$	900 mm
85	Blind Flange	ISO 4427-3	DN250-Class 150, BL-FF	250 mm
86	Eccentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 630 \times 57.2 - \Phi 400 \times 36.3$	600 mm
87	Lapped Joint Flange	ISO 4427-3 Refer to ASME B16.47, Series A	DN1000-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 1000 \times 90.2$	1000 mm
88	Lapped Joint Flange	ISO 4427-3 Refer to ASME B16.47, Series A	DN1200-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 1200 \times 94$	1200 mm
89	Lapped Joint Flange	ISO 4427-3 Refer to ASME B16.47, Series A	DN700-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 710 \times 64.5$	700 mm
90	Lapped Joint Flange	ISO 4427-3 Refer to ASME B16.47, Series A	DN800-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 800 \times 72.6$	800 mm
91	Lapped Joint Flange	ISO 4427-3 Refer to ASME B16.47, Series A	DN900-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 900 \times 81.7$	900 mm
92	Lapped Joint Flange	ISO 4427-3 Refer to ASME B16.47, Series A	DN1000-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 1000 \times 90.2$	1000 mm
93	Lapped Joint Flange	ISO 4427-3 Refer to ASME B16.47, Series A	DN800-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 800 \times 72.6$	800 mm
94	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10 - \Phi 63 \times 5.8$	100 mm
95	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 90 \times 8.2 - \Phi 63 \times 5.8$	80 mm
96	Lapped Joint Flange	ISO 4427-3	DN65-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 75 \times 6.8$	65 mm
97	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 160 \times 14.6 - \Phi 110 \times 10$	150 mm
98	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 90 \times 8.2 - \Phi 75 \times 6.8$	80 mm
99	Lapped Joint Flange	ISO 4427-3	DN65-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 75 \times 6.8$	65 mm
100	等径三通 TEE	ISO 4427-3	$\Phi 32 \times 3$	
101	90° 弯头 90-Deg Elbow	ISO 4427-3	$\Phi 32 \times 3$	
102	直管 Pipe	ISO 4427-2	$\Phi 32 \times 3$	
103	Lapped Joint Flange	REFER TO ASME B16.5	DN50, FF, lass150, Connecting pipe: $\Phi 32 \times 3$	
104	90° 弯头 90-Deg Elbow (SR)	ISO4427-3	$\Phi 1200 \times 94$ SDR11 e=94.0mm	

105	90° 弯头 90-Deg Elbow (SR)	ISO4427-3	φ 1000*90.2 SDR11	
106	90° 弯头 90-Deg Elbow (SR)	ISO4427-3	φ 900*81.7 SDR11	
107	90° 弯头 90-Deg Elbow (SR)	ISO4427-3	φ 710*64.5 SDR11	
108	90° 弯头 90-Deg Elbow	ISO4427-3	φ 710*64.5 SDR11	
109	偏心异径管 Eccentric Reducer	ISO4427-3	φ 900*81.7-φ 710*64.5 SDR11	
110	偏心异径管 Eccentric Reducer	ISO4427-3	φ 710*64.5-φ 500*45.4 SDR11	
111	正径三通 Straight Tee	ISO4427-3	φ 900*81.7 SDR11	
112	异径三通 Red Tee	ISO4427-3	φ 900*81.7-φ 710*64.5 SDR11	
113	异径三通 Red Tee	ISO4427-3	φ 710*64.5-φ 630*57.2 SDR11	
114	活套法兰 Lapped Joint Flange	ISO4427-3	DN1200-Class150 (ASME B16.47 Series A) WN/LJ-FF	
115	活套法兰 Lapped Joint Flange	ISO4427-3	DN1000-Class150 (ASME B16.47 Series A) WN/LJ-FF	
116	活套法兰 Lapped Joint Flange	ISO4427-3	DN900-Class150 (ASME B16.47 Series A) WN/LJ-FF	

117	活套法兰 Lapped Joint Flange	ISO4427-3	DN700-Class150 (ASME B16.47 Series A) WN/LJ-FF	
118	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 90 \times 8.2$	80 mm
119	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 63 \times 5.8$	50 mm
120	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 32 \times 3$	25 mm
121	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 355 \times 32.2$	350 mm
122	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 710 \times 64.5$	700 mm
123	Plastic Pipe	ISO 4427-2	Plain End, $\Phi 450 \times 40.9$	450 mm
124	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 90 \times 8.2$	80 mm
125	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10$	100 mm
126	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 500 \times 45.4$	500 mm
127	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 630 \times 57.2$	600 mm
128	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 280 \times 25.4$	250 mm
129	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 800 \times 72.6$	800 mm
130	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 75 \times 6.8$	65 mm
131	Lapped Joint Flange	ISO 4427-3	DN15-Class 150, WN/LJ-FF, Connecting Pipe $\Phi 20 \times 3$	15 mm
132	Lapped Joint Flange	ISO 4427-3	DN1200-Class 150 (ASME B16.47 Series A), WN/LJ-FF, Connecting Pipe $\Phi 1200 \times 94$	1200 mm
133	45-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 90 \times 8.2$	80 mm
134	45-Deg Elbow (LR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 315 \times 28.6$	300 mm
135	45-Deg Elbow (LR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 225 \times 20.5$	200 mm
136	45-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 630 \times 57.2$	600 mm
137	45-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 400 \times 36.3$	400 mm
138	45-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 500 \times 45.4$	500 mm
139	45-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 900 \times 81.7$	900 mm
140	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10$	100 mm
141	90-Deg Elbow	DIN 16962	Butt Fusion, SDR11, $\Phi 160 \times 14.6$	150 mm
142	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 225 \times 20.5$	200 mm
143	90-Deg Elbow	ISO 4427-3	Butt Fusion, SDR11, $\Phi 630 \times 57.2$	600 mm
144	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10$	100 mm
145	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 710 \times 64.5$	700 mm
146	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 1000 \times 90.2$	1000 mm
147	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 500 \times 45.4$	500 mm
148	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 90 \times 8.2$	80 mm
149	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 900 \times 81.7$	900 mm
150	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 160 \times 14.6$	150 mm
151	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 225 \times 20.5$	200 mm
152	90-Deg Elbow (SR)	ISO 4427-3	Butt Fusion, SDR11, $\Phi 75 \times 6.8$	65 mm
153	Blind Flange	ISO 4427-3	DN500-Class 150, BL-FF	500 mm
154	Blind Flange	DIN 16962	DN150-Class 150, BL-FF	150 mm
155	Blind Flange	DIN 16962	DN200-Class 150, BL-FF	200 mm
156	Blind Flange	DIN 16962	DN300-Class 150, BL-FF	300 mm
157	Blind Flange	DIN 16962	DN350-Class 150, BL-FF	350 mm
158	Blind Flange	ISO 4427-3	DN350-Class 150, BL-FF	350 mm

159	Blind Flange	ISO 4427-3	DN1000-Class 150, BL-FF	1000 mm
160	Blind Flange	ISO 4427-3	DN1200-Class 150, BL-FF	1200 mm
161	Blind Flange	ISO 4427-3	DN250-Class 150, BL-FF	250 mm
162	Blind Flange	ISO 4427-3	DN400-Class 150, BL-FF	400 mm
163	Blind Flange	ISO 4427-3	DN450-Class 150, BL-FF	450 mm
164	Blind Flange	ISO 4427-3	DN600-Class 150, BL-FF	600 mm
165	Blind Flange	ISO 4427-3	DN900-Class 150, BL-FF	900 mm
166	Blind Flange	ISO 4427-3	DN80-Class 150, BL-FF	80 mm
167	Blind Flange	DIN 16962	DN100-Class 150, BL-FF	100 mm
168	Blind Flange	DIN 16962	DN150-Class 150, BL-FF	150 mm
169	Blind Flange	DIN 16962	DN80-Class 150, BL-FF	80 mm
170	Blind Flange	ISO 4427-3	DN150-Class 150, BL-FF	150 mm
171	Blind Flange	ISO 4427-3	DN50-Class 150, BL-FF	50 mm
172	Blind Flange	ISO 4427-3	DN50-Class 150, BL-FF	50 mm
173	Blind Flange	ISO 4427-3	DN80-Class 150, BL-FF	80 mm
174	Blind Flange	ISO 4427-3	DN80-Class 150, BL-FF	80 mm
175	Blind Flange	ISO 4427-3	DN250-Class 150, BL-FF	250 mm
176	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 90 \times 8.2 - \Phi$ 75×6.8	80 mm
177	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10 - \Phi$ 90×8.2	100 mm
178	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10 - \Phi$ 75×6.8	100 mm
179	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 160 \times 14.6 - \Phi$ 90×8.2	150 mm
180	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 160 \times 14.6 - \Phi$ 110×10	150 mm
181	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 225 \times 20.5 - \Phi$ 160×14.6	200 mm
182	Eccentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 110 \times 10 - \Phi$ 63×5.8	100 mm
183	Concentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 1000 \times 90.2 - \Phi$ 710×64.5	1000 mm
184	Eccentric Reducer	ISO 4427-3	Butt Fusion, SDR11, $\Phi 315 \times 28.6 - \Phi$ 225×20.5	300/200mm
185	Red. Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 110 \times 10 - \Phi 90 \times 8.2$	100 mm
186	Red. Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 160 \times 14.6 - \Phi$ 110×10	150 mm
187	Red. Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 225 \times 20.5 - \Phi$ 110×10	200 mm
188	Red. Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 400 \times 36.3 - \Phi$ 225×20.5	400 mm
189	Red. Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 630 \times 57.2 - \Phi$ 280×25.4	
190	Red. Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 90 \times 8.2 - \Phi 50 \times 4.6$	80 mm
191	Straight Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 1000 \times 90.2$	1000 mm

192	Straight Tee	ISO 4427-3	Butt Weld, SDR11, $\Phi 225 \times 20.5$	
193	SW 90-Deg Elbow	ISO 4427-3	Electrofusion Socket, SDR11, $\Phi 63 \times 5.8$	50mm
194	SW Tee	DIN 16962	Electrofusion Socket, SDR11, $\Phi 63 \times 5.8$	50 mm
195	带法兰管	ACCS-10-151-ZZ02-Z-LAY-0012	$\Phi 38 \times 3$ L=200	
196	塑料管 plastic pipe	ACCS-90-911-ZZ03-Z-LAY-0015	$\Phi 38 \times 3$	
197	塑料筒形风帽 PLASTIC TUBULAR COWL	ACCS-90-911-ZZ03-Z-LAY-0014		
198	塑料管 plastic pipe	ASTM D1784 PVC1120	DN150	DN150
199	塑料管 Plastic Pipe	ISO 4427-2	$\Phi 32 \times 3$	
200	UPVC塑料排水管 UPVC plastic drain pipe	ASTM D1785 PVC1120	Plain End, $\Phi 88.9 \times 7.62$	80
201	45° 弯头 45 degree elbow	GB/T5836		DN50
202	90° 弯头 90 degree elbow	GB/T5836		DN50
203	法兰 Flange	Refer to ASME B16.5	DN50, t10	DN50
204	塑料管 plastic pipe			DN15
205	塑料管 plastic pipe			DN20
206	塑料管 plastic pipe			DN25
207	塑料管 plastic pipe			DN40
208	塑料管 plastic pipe			DN50
209	塑料管 plastic pipe			DN80
210	塑料管 plastic pipe			DN100
211	塑料管 plastic pipe			DN32
212	塑料管 plastic pipe			DN65

材质	管道等级	单位	数量	专业	备注
PP-H 100	C1PH1	m	560	P专业	
PE100	C1HP1	m	12	P专业	
PE100	C1HP1	m	560	P专业	
PE100	C1HP1	m	700	P专业	
PP-H 100	C1PH1	m	50	P专业	
PE100	C1HP1	EA	31	P专业	
PE100	C1HP1	EA	45	P专业	
PE100	C1HP1	EA	25	P专业	
PE100	C1HP1	EA	8	P专业	
PE100	C1HP1	EA	10	P专业	
PE100	C1HP1	EA	12	P专业	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	10	P专业	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	52	P专业	
PE100	C1HP1	EA	10	P专业	
PE100	C1HP1	EA	4	P专业	
PE100	C1HP1	EA	4	P专业	
PE100	C1HP1	EA	12	P专业	
PE100	C1HP1	EA	8	P专业	
PP-H 100	C1HP1	EA	35	P专业	
ASTM D1784 PVC12454	C1PC2	EA	160	P专业	
ASTM D1784 PVC12454	C1PC2	EA	8	P专业	
ASTM D1784 PVC12454	C1PC2	EA	8	P专业	
PE100		m	60	R专业	
PE100		m	400	R专业	
PE100		m	120	R专业	
PE100		m	100	R专业	
PE100		pcs	3	R专业	
PE100		EA	8	R专业	成套配带螺母、螺栓、垫片
PE100		EA	16	R专业	成套配带螺母、螺栓、垫片
PE100		m	300	R专业	
PE100		m	200	R专业	
PE100		PCS	1	R专业	
PE100		PCS	1	R专业	
PE100		PCS	3	R专业	
UPVC	SCH40	m	500	R专业	

UPVC	SCH40	m	1800	R专业	
UPVC	SCH40	m	600	R专业	
UPVC	SCH40	m	24	R专业	
UPVC	SCH40	m	120	R专业	
UPVC	SCH40	m	680	R专业	
UPVC	SCH40	m	20	R专业	
PE100		EA	18	R专业	
PE100		m	50	R专业	
PE100		m	10	R专业	
PE100		EA	5	R专业	
PE100		EA	3	R专业	
PE100		EA	1	R专业	
PE100		EA	1	R专业	
PVC		m	100	R专业	
PVC		m	100	R专业	
UPVC		m	55	R专业	
UPVC		m	15	R专业	
UPVC		m	10	R专业	
UPVC		m	50	R专业	
PVC		m	30	R专业	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	8	4-1159	配螺栓、螺母、垫片
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	3	4-1160	配螺栓、螺母、垫片
PE100	C1HP1	m	200	4-1170	
PE100	C1HP1	m	50	4-1196	
PE100	C1HP1	m	100	5-0004	
PE100	C1HP1	m	30		配螺栓、螺母、垫片
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	50	5-0030	配螺栓、螺母、垫片
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	2	5-0040	配螺栓、螺母、垫片
ASTM D1784 PVC12454	C1PC2	m	360	5-0080	
U-PVC		m	100	Z专业	
U-PVC		m	360	Z专业	
U-PVC		m	100	Z专业	
U-PVC		m	36	Z专业	
PVC		m	12	Z专业	
U-PVC		m	12	Z专业	
PVC		m	20	Z专业	
ASTM D1784 PVC12454	C1PC2	EA	20	6-0067	

ASTM D1784 PVC12454	C1PC2	m	350	6-0072	
ASTM D1784 PVC12454	C1PC2	EA	5	6-0076	
PE100	C1HP1	EA	3	6-0145	
PE100	C1HP1	EA	3	6-0146	
PE100	C1HP1	EA	3	6-0147	
PE100	C1HP1	EA	3	6-0148	
PE100	C1HP1	EA	20	6-0149	
PE100	C1HP1	EA	2	6-0150	
PE100	C1HP1	EA	3	6-0151	
PE100	C1HP1	EA	3	6-0152	
PE100	C1HP1	EA	8	6-0153	
PE100	C1HP1	EA	6	6-0154	
PE100	C1HP1	EA	8	6-0156	
PE100	C1HP1	EA	2	6-0157	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	25	6-0158	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	3	6-0159	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	10	6-0160	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	41	6-0161	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	15	6-0162	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	25	6-0165	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	43	6-0168	
PE100	C1HP1	EA	11	6-0170	
PE100	C1HP1	EA	1	6-0172	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	6	6-0173	
PE100	C1HP1	EA	6	6-0179	
PE100	C1HP1	EA	2	6-0180	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	4	6-0181	
PE100		EA	15	R专业	
PE100		EA	13	R专业	
PE100		EA	50	R专业	
PE100		EA	15	R专业	
PE100		EA	5		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺

PE100		EA	6		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺
PE100		EA	4		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺
PE100		EA	6		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺
PE100		EA	14		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺
PE100		EA	3		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺
PE100		EA	2		700侧需配2套活套法兰，一套法兰焊接在管件上，一套法兰单独供货，所有活套法兰配套螺栓
PE100		EA	1		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺
PE100		EA	1		需配套4个活套法兰，两套法兰焊接在管件上，两套法兰单独供货，所有活套法兰配套螺栓、螺
PE100		EA	2		700侧需配2套活套法兰，一套法兰焊接在管件上，一套法兰单独供货，所有活套法兰配套螺栓
PE100 (ASTM A105 Loose Flange)		EA	12	现场	连接 ϕ 1200*94，配套相应的法兰螺栓、垫片
PE100 (ASTM A105 Loose Flange)		EA	12	现场	连接 ϕ 1000*90.2，配套相应的法兰、螺栓、垫片
PE100 (ASTM A105 Loose Flange)		EA	6	现场	连接 ϕ 900*81.7，配套相应的法兰、螺栓、垫片

PE100 (ASTM A105 Loose Flange)		EA	20	现场	连接Φ900*81.7, 配套相应的法兰、螺栓、垫片
PE100	C1HP1	M	300	P专业	
PE100	C1HP1	m	900	P专业	
PE100	C1HP1	m	50	P专业	
PE100	C1HP1	m	50	P专业	
PE100	C1HP1	m	30	P专业	
PE100	C1HP1	m	20	P专业	
PE100	C1HP1	EA	80	P专业	
PE100	C1HP1	EA	55	P专业	
PE100	C1HP1	EA	8	P专业	
PE100	C1HP1	EA	5	P专业	
PE100	C1HP1	EA	10	P专业	
PE100	C1HP1	EA	7	P专业	
PE100	C1HP1	EA	2	P专业	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	20	P专业	
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	3	P专业	
PE100	C1HP1	EA	7	R专业	
PE100	C1HP1	EA	22	R专业	
PE100	C1HP1	EA	43		
PE100	C1HP1	EA	1		
PE100	C1HP1	EA	3		
PE100	C1HP1	EA	3		
PE100	C1HP1	EA	3		
PE100	C1HP1	EA	30		
PP-H 100	C1PH1	EA	125		
PE100	C1HP1	EA	12		
PE100	C1HP1	EA	5		
PE100	C1HP1	EA	20		
PE100	C1HP1	EA	5		
PE100	C1HP1	EA	3		
PE100	C1HP1	EA	2		
PE100	C1HP1	EA	8		
PE100	C1HP1	EA	2		
PE100	C1HP1	EA	5		
PE100	C1HP1	EA	3		
PE100	C1HP1	EA	2		
PE100	C1HP1	EA	5		
PP-H 100	C1PH1	EA	350		
PP-H 100	C1PH1	EA	2		
PP-H 100	C1PH1	EA	10		
PP-H 100	C1PH1	EA	10		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	2		

PE100 (ASTM A105 Loose Plate)	C1HP1	EA	1		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	1		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	5		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	2		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	2		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	9		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	1		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	4		
PP-H 100	C1PH1	EA	2		
PP-H 100	C1PH1	EA	7		
PP-H 100	C1PH1	EA	3		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	1		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	1		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	7		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	1		
PE100 (ASTM A105 Loose Plate)	C1HP1	EA	1		
PE100	C1HP1	EA	7		
PE100	C1HP1	EA	5		
PE100	C1HP1	EA	4		
PE100	C1HP1	EA	4		
PE100	C1HP1	EA	4		
PE100	C1HP1	EA	2		
PE100	C1HP1	EA	5		
PE100	C1HP1	EA	7		
PE100	C1HP1	EA	2		
PE100	C1HP1	EA	10		
PE100	C1HP1	EA	10	P专业	
PE100	C1HP1	EA	5	P专业	
PE100	C1HP1	EA	5	P专业	
PE100	C1HP1	EA	2	P专业	
600 mm	PE100	EA	1	P专业	
PE100	C1HP1	EA	4	P专业	
PE100	C1HP1	EA	2	P专业	

200 mm	PE100	EA	7	P专业	
PE100	C1HP1	EA	310	P专业	
PP-H 100	C1PH1	EA	1	P专业	
PPR		EA	2	Z专业	带法兰
PPR		m	6	Z专业	
U-PVC		EA	1	Z专业	
PVC		m	12	Z专业	风管
PE100		m	12	R专业	
UPVC		m	50	R专业	
UPVC		EA	6	R专业	
UPVC		EA	10	R专业	
UPVC		EA	1	R专业	
PPR		m	850	R专业	
PPR		m	300	R专业	
PPR		m	400	R专业	
PPR		m	450	R专业	
PPR		m	260	R专业	
PPR		m	260	R专业	
PPR		m	20	R专业	
PPR		m	80	R专业	
PPR		m	20	R专业	